

POOL PERMITS

INFORMATION SHEET

PLEASE BE ADVISED THAT AN APPLICATION FOR A POOL PERMIT IS EXPECTED TO BE COMPLETED IN A TIMELY MANNER.

IF THE POOL PERMIT GOES BEYOND 6 MONTHS THIS OFFICE WILL CONTACT THE APPLICANT TO SCHEDULE AN INSPECTION.

AT THAT TIME APPLICANT WILL BE NOTIFIED OF WHAT NEEDS TO BE DONE IN ORDER TO COMPLETE AND FOR THE ISSUANCE OF A CERTIFICATE OF COMPLIANCE.

ALL SWIMMING POOL CONSTRUCTION NEEDS TO HAVE REQUIRED BARRIERS IN PLACE; ELECTRICAL INSPECTION; CROSS CONNECTION INSPECTION & POOL ALARM INSTALL BEFORE FILLING WITH WATER.

Dear Water Customer:

Re: Village Law Upgrade – Cross-connection/Backflow Prevention

In accord with New York State Department of Health rules our Village has established local law that will satisfy state requirements to protect our water supply. The local newspaper ran a story with details and the Village Board has held public meetings and hearings on the matter.

Certain types of property uses will require your attention to a new detail; namely confirming the presence of or commencement of a plan and device to prevent backflow contamination of the municipal water supply. We have identified your property as one needing cross contamination/back flow protection installed and operational.

We are seeking your cooperation and are willing to work with you on this program. Coordination and information are available from our Building Department at 758-1081. They will be monitoring the process which involves you filing a permit by March 31, 2017 and having the appropriate device functional by April 30, 2017. The permit fee is \$75 and you will have to either confirm the presence of an approved device or begin the process of having one installed by outside contractors.


For homeowners with above ground/in-ground pools, you are required to submit the Application but are exempt from the \$75.00 filing fee, but it is the homeowner's responsibility to purchase the required part and contact the building department at 758-5718 once installation is complete, at which time the building department will schedule a final inspection. The required part can be purchased at any local hardware store. The part(s) usually consists of a 3/4" vacuum breaker (brass or chrome).

We deliberately planned a window of time to get the matter addressed but it is a required step so that all parties comply with NYS regulations. Our staff and water department are very willing to speak with you and provide more details but, in general, homes with swimming pools and certain commercial occupancies will require a professional review and design modification in the water supply connection by an outside engineer with annual tests by an outside vendor.

The goal of the program developed by NYS is to insure that contaminated water does not reverse flow into the Villages' water distribution system and protect the health of all our users.

Sincerely,

Ed Blundell
Mayor



WATER DEPARTMENT

CROSS CONNECTION CONTROL PERMIT APPLICATION

Grid # _____

Zoning District: _____

Name of Applicant: _____

Address: _____

Daytime telephone number: _____

Location of subject property: _____

Is the property currently in the applicant's name? _____

(If the answer is no, consent of authorization to act is required)

Does property have an existing back flow prevention device? Yes _____ or No _____

(If the answer is yes, age _____ and type _____)

Nature of Occupancy

Principal Building or _____

Type of proposed back flow device: _____

Engineer of Record: _____

Address and Telephone: _____

Prime Contractor/Builder: _____

Address and Telephone: _____

Site Information

Is an annual inspection required? No

Estimated Cost: _____

Signature of Applicant: _____

Date Received: _____ Fee Paid: _____

_____ Approved _____ Denied - Reason: _____

Building Inspector _____

- which reduce the openings to not more than $1\frac{3}{4}$ inches (44 mm).
- 7. Where the barrier is composed of diagonal members, such as a lattice fence, the maximum opening formed by the diagonal members shall not be more than $1\frac{3}{4}$ inches (44 mm).
 - 8. Gates shall comply with the requirements of Section R326.5.3, Items 1 through 7, and with the following requirements:
 - 8.1. All gates shall be self-closing. In addition, if the gate is a pedestrian access gate, the gate shall open outward, away from the pool.
 - 8.2. All gates shall be self-latching, with the latch handle located within the enclosure (i.e., on the pool side of the enclosure) and at least 40 inches (1016 mm) above grade. In addition, if the latch handle is located less than 54 inches (1372 mm) from the bottom of the gate, the latch handle shall be located at least 3 inches (76 mm) below the top of the gate, and neither the gate nor the barrier shall have any opening greater than 0.5 inch (12.7 mm) within 18 inches (457 mm) of the latch handle.
 - 8.3. All gates shall be securely locked with a key, combination or other child proof lock sufficient to prevent access to the swimming pool through such gate when the swimming pool is not in use or supervised.
 - 9. Where a wall of a dwelling serves as part of the barrier, one of the following conditions shall be met:
 - 9.1. The pool shall be equipped with a powered safety cover in compliance with ASTM F 1346; or
 - 9.2. Doors with direct access to the pool through that wall shall be equipped with an alarm which produces an audible warning when the door and/or its screen, if present, are opened. The alarm shall be listed in accordance with UL 2017. The audible alarm shall activate within 7 seconds and sound continuously for a minimum of 30 seconds after the door and/or its screen, if present, are opened and be capable of being heard throughout the house during normal household activities. The alarm shall automatically reset under all conditions. The alarm system shall be equipped with a manual means, such as touch pad or switch, to temporarily deactivate the alarm for a single opening. Deactivation shall last for not more than 15 seconds. The deactivation switch(es) shall be located at least 54 inches (1372 mm) above the threshold of the door; or
 - 9.3. Other means of protection, such as self-closing doors with self-latching devices, shall be acceptable so long as the degree of protection afforded is not less than the protection afforded by Item 9.1 or 9.2 described above.
 - 10. Where an above-ground pool structure is used as a barrier or where the barrier is mounted on top of the pool structure, and the means of access is a ladder or steps:
 - 10.1. The ladder or steps shall be capable of being secured, locked or

ELECTRICAL INSPECTION AGENCIES
Listed Alphabetically

<p>All County Electrical Inspection Services 4725 Rt. 9G, Red Hook, NY 12571 David Scism – Inspector 845-757-5916 Office Hours – 8 am – 4 pm</p>	<p>New York Board P.O. Box 1558 Wappingers Falls, NY 12590 Pat Decina - Inspector 845-298-6792 (phone/fax) pdecina@NewYorkBoard.org</p>
<p>Atlantic-Inland, Inc. 997 McLean Road, Cortland, NY 13045 Bill Jacox – Inspector 845-876-8794 Call between 7 am – 9 am</p>	<p>New York Certified Electrical Inspectors- Ulster Division 203 Purgatory Rd. Campbell Hall, NY 10916 John Metsger – Ulster County Inspector Office - 845-339-2119, Fax 802-0017 Call between 7:30a.m.– 8:30 a.m. M-Th</p>
<p>Commonwealth Inspection Services, Inc. 23 Tephnic Ave., Mendon, NY 14506 – Inspectors - Jim Cocks 845-325-0158 Ron Henry 845-541-1871 Office 845-783-0551</p>	<p>New York Electric Inspections PO Box 510 Arkville, NY 12406 Greg Murad - Inspector Office - 888-693-4693 Cell - 845-586-2430</p>
<p>Electrical Underwriters of New York PO Box 4089, New Windsor, NY 12533 Ernie Bello – Inspector 845-569-1759 Call between 7 a.m. – 3 p.m.</p>	<p>Swanson Consulting, Inc. PO Box 395, Salisbury Mills, NY 12577 Joe Swanson – Inspector, 845-549-8271 Office -845-496-4443 Call between 8 a.m. – 6:00 p.m.</p>
<p>Middle Dept. Inspection Agency, Inc. 143 Troy Schenectady Road Ste 8 Water Vliet, NY 12189-1592 -Inspectors- Tony Sibiga – 845-985-2594 Dave Williams – 518-758-7812</p>	<p>Z3 Consultants P.O. Box 363, LaGrangeville, NY 12540 Gary Beck - Inspector 845-471-9370 Se Habla Espanol garybeck@Z3Consultants.com</p>

revised 1/31/14

(Commonwealth)
Lerry Weaver
518-755-0324